

| 1. Product and Company Identification | | |
|---------------------------------------|---|----------------|
| Product Code: | 50500 | |
| Product Name: | PRO 2000 Ice Melter | |
| Trade Name: | Commercial Ice Melter | |
| Company name: | Pro-Link Canada Sanitary Supplies Inc, 34 Florizel Avenue Ottawa, Ontario K2H 9R2 | |
| Emergency Contact: | PERS | (800) 633-8253 |
| Information: | Pro-Link Canada Sanitary Supplies Inc, | (613) 722-0798 |

| 2. Hazards Identification | |
|-----------------------------|---|
| Classification (GHS) | Not Classified |
| GHS Labelling | No labelling applicable |
| Other Hazards | Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions. When heated to decomposition, emits toxic fumes. Corrosive to metals upon prolonged contact. |

| 3. Composition | |
|----------------|-----------------------------------|
| CAS # | Components (Chemical Name) |
| 7647-14-5 | Sodium Chloride |
| 7786-30-3 | Magnesium Chloride |
| 76123-46-1 | Calcium Magnesium Acetate |
| 7447-40-7 | Potassium Chloride |
| N/A | Product Contains Colour indicator |

| 4. First Aid Measures | |
|---------------------------------|--|
| In Case of Inhalation: | Remove from exposure and move to fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical aid if cough or other symptoms appear |
| In Case of Skin Contact: | Wash skin with soap and water. Get medical aid if irritation develops or persists. Wash clothing before reuse. |
| In Cases of Eye Contact: | Flush eyes with plenty of water at least 15 minutes, occasionally lifting the upper and lower eyelids. If irritation develops, get medical aid. |
| In Case of Ingestion: | DO NOT induce vomiting. Get medical aid if irritation or symptoms occur. If victim is conscious and alert, give 2-4 cupsful of milk or water. |
| Note to Physician: | Treat symptomatically and supportively. |
| General: | Dust may cause mechanical irritation to eyes, nose, throat, and lungs |
| Chronic Symptoms: | Not available |

| 5. Fire Fighting Measures | |
|--------------------------------------|---|
| Flash Pt: | No data. |
| Explosive Limits: | LEL: No data. UEL: No data. |
| Autoignition Pt: | No data. |
| Suitable Extinguishing Media: | Substance is noncombustible; use agent most appropriate to extinguish surrounding fire. |

| | |
|--|---|
| Fire Fighting Instruction: | As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Substance is noncombustible. Material will not burn. |
| Flammable Properties and Hazards: | No data available. |
| Hazardous Combustion Products: | No data available. |

| | |
|---|--|
| 6. Accidental Release Measures | |
| Protective Precautions, Protective Equipment and Emergency Procedures: | Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166. |
| Environmental Precautions: | If possible, dispose of unused product by completely using it for its intended purpose according to label instructions. |
| Steps To Be Taken In Case Material Is Released Or Spilled: | Use proper personal protective equipment as indicated in Section 8. Spills/Leaks: Vacuum or sweep up material and place into a suitable disposal container. Avoid generating dusty conditions. Provide ventilation. Sweep up or absorb material, then place into a suitable clean, dry, closed container for disposal. |

| | |
|---|--|
| 7. Handling and Storage | |
| Precautions To Be Taken in Handling: | Minimize dust generation and accumulation. Avoid contact with eyes, skin, and clothing. Avoid ingestion and inhalation. Use with adequate ventilation. Wash thoroughly after handling. |
| Precautions To Be Taken in Storing: | Store in a closed container and in a dry place. |

| | | | | |
|---|---|-----------------|------------------|---------------------|
| 8. Exposure Controls/Personal Protection | | | | |
| CAS # | Partial Chemical Name | OSHA TWA | ACGIH TWA | Other Limits |
| 7647-14-5 | Sodium chloride | No data. | No data. | No data. |
| 7447-40-7 | Potassium chloride | No data. | No data. | No data. |
| 7786-30-3 | Magnesium chloride | No data. | No data. | No data. |
| 76123-46-1 | Calcium Magnesium Acetate | No data. | No data. | No data. |
| Respiratory Equipment (Specific Type): | Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. Respirator protection is not normally required. | | | |
| Eye Protection: | Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166. | | | |
| Protective Gloves: | Wear appropriate protective gloves to prevent skin exposure. | | | |
| Other Protective Clothing: | Wear appropriate protective clothing to prevent skin exposure. Wear appropriate protective clothing to minimize contact with skin. Protective garments not normally required. | | | |

**Engineering Controls
(Ventilation etc.):**

9. Physical and Chemical Properties

| | | |
|---|---|---------------|
| Physical States: | [] Gas [] Liquid [X] Solid | |
| Appearance and Odor: | Translucent blue, granular solid No apparent odor. | |
| pH: | No data. | |
| Melting Point: | >700.00 C | |
| Boiling Point: | No data. | |
| Flash Pt: | No data. | |
| Evaporation Rate: | No data. | |
| Flammability (solid, gas): | No data. | |
| Explosive Limits: | LEL: No data. | UEL: No data. |
| Vapor Pressure (vs. Air at mm Hg): | No data. | |
| Vapor Density (vs. Air = 1) | No data. | |
| Specific Gravity (Water = 1) | No data. | |
| Bulk Density | 65 – 80 LB/CF | |
| Solubility in Water | 357 g/L – (NaCl) at 25.0 C | |
| Octanol/Water Partition Coefficient: | No data. | |
| Autoignition Pt: | No data. | |
| Decomposition Temperature: | No data. | |
| Viscosity: | No data. | |

10. Stability and Reactivity

| | | |
|---|--|----------------------|
| Stability: | Unstable [] | Stable [X] |
| Conditions To Avoid – Instability: | Incompatible materials, dust generation, Excess heat. | |
| Incompatibility – Materials To Avoid: | Strong oxidizing agents, Strong acids, potassium permanganate, attacks metals in the presence of moisture. | |
| Hazardous Decomposition or Byproducts: | Hydrogen chloride, chlorine, sodium oxide. | |
| Possibility of Hazardous Reactions: | Will Occur [] | Will not occur [X] |
| Conditions to Avoid – Hazardous Reactions: | No data available. | |

11. Toxicological Information

Toxicological Information : Epidemiology: No information found.
 Teratogenicity: No information available.
 Neurotoxicity: No data available.
 Teratogenicity: No data available.

CAS# 7647-14-5: Sodium chloride:
 Acute toxicity, TDLo, Oral, Human, 12357. MG/KG, 23 D; American Journal of Digestive Diseases., For publisher information, see DDSCDJ, New York, NY, Vol/p/yr: 21,180, 1954

Acute toxicity, LD50, Oral, Rat, 3.000 GM/KG; Toxicology and Applied Pharmacology, Academic Press, Inc., 1 E. First St., Duluth, MN 55802, Vol/p/yr: 20,57, 1971

Acute toxicity, LC50, Inhalation, Rat, > 42.00 GM/M3, 1 H; BIOFAX Industrial Bio-Test Laboratories, Inc., Data Sheets., Vol/p/yr: 20-3, 1971

Standard Draize Test, Skin, Species: Rabbit, 50.00 MG, 24 H; BIOFAX Industrial Bio-Test Laboratories, Inc., Data Sheets., Vol/p/yr: 20-3, 1971

Standard Draize Test, Eyes, Species: Rabbit, 100.0 MG; BIOFAX Industrial Bio-Test Laboratories, Inc., Data Sheets., Vol/p/yr: 20-3, 1971

CAS# 7447-40-7: Potassium chloride: Acute toxicity, LD50, Oral, Rat, 2600. MG/KG; "Sbornik Vysledku Toxilogickeho Vysetreni Latek A Pripravku," , Institut Pro Vychovu Vedoucicn P, Marhold, J.V., Institut Pro Vychovu Vedoucicn, Pracovniku Chemickeho, Prumyclu Praha Czechoslovakia, Vol/p/yr: -,8, 1972

Standard Draize Test, Eyes, Species: Rabbit, 500.0 MG, 24 H; "Sbornik Vysledku Toxilogickeho Vysetreni Latek A Pripravku," , Institut Pro Vychovu Vedoucicn P, Marhold, J.V., Institut Pro Vychovu Vedoucicn, Pracovniku Chemickeho, Prumyclu Praha Czechoslovakia, Vol/p/yr: -,8, 1972

CAS# 7786-30-3: Magnesium chloride: Acute toxicity, LD50, Oral, Rat, 2800. MG/KG; Journal of Pharmacology and Experimental Therapeutics, Williams & Wilkins Co., 428 E. Preston St., Baltimore, MD 21202, Vol/p/yr: 35,1, 1929

Carcinogenicity/Other information: Carcinogenicity

| CAS # | Components (Chemical Name) | NTP | IARC | ACGIH | OSHA |
|-----------|----------------------------|------|------|-------|------|
| 7647-14-5 | Sodium chloride | n.a. | n.a. | n.a. | n.a. |
| 7447-40-7 | Potassium chloride | n.a. | n.a. | n.a. | n.a. |
| 7786-30-3 | Magnesium chloride | n.a. | n.a. | n.a. | n.a. |

| | | | | | |
|------------|---------------------------|------|------|------|------|
| 76123-46-1 | Calcium Magnesium Acetate | n.a. | n.a. | n.a. | n.a. |
|------------|---------------------------|------|------|------|------|

| | |
|--|--|
| 12. Ecological Information | |
| General Ecological Information: | <p>Other: Do not empty into drains.</p> <p>CAS# 7647-14-5: Sodium chloride: LC50, Rainbow Trout (<i>Oncorhynchus mykiss</i>), egg(s), 7461000. UG/L, 96 H, Mortality, Water temperature: 9.80 C C, pH: 7.65, Hardness: 46.00 mg/L; Criteria Document Data. Memorandum to D.J. Call, Center for Lake Superior Environmental Studies, University of Wisconsin-Superior. September 16, 1986, Spehar, R.L., 1986</p> <p>CAS# 7447-40-7: Potassium chloride: LC50, Rainbow Trout (<i>Oncorhynchus mykiss</i>), 1610000. UG/L, 48 H, Mortality, Water temperature: 17.00 C C, pH: 7.70, Hardness: 40.00 MG/L; Toxicity of Candidate Molluscicides to Zebra Mussels (<i>Dreissena polymorpha</i>) and Selected Nontarget Organisms, Waller, D.L., J.J. Rach, W.G. Cope, L.L. Marking, S.W. Fisher, and H. Dabrowska, 1993</p> |

| | |
|------------------------------------|--|
| 13. Disposal Considerations | |
| Waste Disposal Method: | <p>Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.</p> <p>RCRA P-Series: None listed. RCRA U-Series: None listed.</p> |

| | |
|---|--|
| 14. Transport Information | |
| LAND TRANSPORT (US DOT): | |
| DOT Proper Shipping Name: Not Regulated. | |
| DOT Hazard Class: | |
| UN/NA Number: | |

| | | | | |
|--|---|------------------------------------|------------------|---------------------|
| 15. Regulatory Information | | | | |
| EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists | | | | |
| CAS # | Components (Chemical Name) | S. 302 (EHS) | S. 304 RQ | S. 313 (TRI) |
| 7647-14-5 | Sodium chloride | No | No | No |
| 7447-40-7 | Potassium chloride | No | No | No |
| 7786-30-3 | Magnesium chloride | No | No | No |
| 76123-46-1 | Calcium Magnesium Acetate | No | No | No |
| This material meets the EPA "Hazard Categories" defined for SARA Title III Sections 311/312 as indicated: | <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO | Acute (immediate) Health Hazard | | |
| | <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO | Chronic (delayed) Health Hazard | | |
| | <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO | Fire Hazard | | |
| | <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO | Sudden Release of Pressure Hazard | | |
| | <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO | Reactive Hazard | | |
| CAS # | Components (Chemical Name) | Other US EPA or State Lists | | |

| | | |
|------------|---------------------------|---|
| 7647-14-5 | Sodium chloride | CAA HAP, ODC: No; CWA NPDES: No; TSCA: Yes – Inventory; CA TAC, Title 8: No; MA Oil/HazMat: NO; MI CMR, Part 5: NO; NJ EHS: No; NY Part 597: No; PA HSL: No |
| 7447-40-7 | Potassium chloride | CAA HAP, ODC: No; CWA NPDES: No; TSCA: Yes – Inventory; CA TAC, Title 8: No; MA Oil/HazMat: NO; MI CMR, Part 5: NO; NJ EHS: No; NY Part 597: No; PA HSL: No |
| 7791-18-6 | Magnesium chloride | CAA HAP, ODC: No; CWA NPDES: No; TSCA: Yes – Inventory; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: NO; NJ EHS: No; NY Part 597: No; PA HSL: No |
| 76123-46-1 | Calcium Magnesium Acetate | CAA HAP, ODC: No; CWA NPDES: No; TSCA: Yes – Inventory; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: NO; NJ EHS: No; NY Part 597: No; PA HSL: No |

16. Other Information

| | |
|---|--|
| Revision Date: | 07/06/2022 |
| Hazard Rating System: |  <p>NFPA: Special Hazard</p> |
| Additional Information About This Product: Company Policy or Disclaimer: | <p>No data available.</p> <p>Disclaimer and Limitation of Liability. This data sheet was developed from information on the constituent materials identified herein and does not relate to the use of such materials in combination with any other material or process. No warranty is expressed or implied with respect to the completeness or ongoing accuracy of the information contained in this data sheet, disclaims all liability for the reliance on such information. This data sheet is not a guarantee of safety. Users are responsible for ensuring that they have all current information necessary to safely use the product described by this data sheet for their specific purposes.</p> |